
Analysis of Binary Search Trees (BST) Algorithms

Goal: to derive

$$\begin{cases} \mathbb{E}(X_n) &:= \text{average } \# \text{ probes per } \textbf{succ} \text{ search in } n\text{-node BST} \\ \mathbb{E}(Y_n) &:= \text{average } \# \text{ probes per } \textbf{unsucc} \text{ search} \quad " \end{cases}$$

Sample Spaces:

$$\begin{cases} \Omega_{X_n} &= \left\{ (x_1, x_2, \dots, x_n; k) \middle| \begin{array}{l} (x_1, x_2, \dots, x_n) \in S_n \\ 1 \leq k \leq n \end{array} \right\}, \quad |\Omega_{X_n}| = n! n \\ \Omega_{Y_n} &= \left\{ (x_1, x_2, \dots, x_n; y) \middle| \begin{array}{l} (x_1, x_2, \dots, x_n) \in S_n \\ y = 0.5, 1.5, \dots, n.5 \end{array} \right\}, \quad |\Omega_{Y_n}| = (n+1)! \end{cases}$$

S_n = set of all permutations (relative order of keys) of $\{1, 2, \dots, n\}$


$\Omega_{Y_n} = \{(x_1, x_2, \dots, x_n; y) \mid (x_1, x_2, \dots, x_n; y) \in S_{n+1}\}$, by re-numbering

Random Variables:

$$\begin{cases} X_n((x_1, x_2, \dots, x_n; k)) &:= \# \text{ probes to } \textbf{succ} \text{ search } x_k \text{ in } T(x_1, x_2, \dots, x_n) \\ Y_n((x_1, x_2, \dots, x_n; y)) &:= \# \text{ probes to } \textbf{unsucc} \text{ search } y \text{ in } " \end{cases}$$

$T(x_1, x_2, \dots, x_n)$:= BST formed by inserting keys x_1, x_2, \dots, x_n consecutively

$T(6, 3, 2, 1, 5, 4)$ =




$$\begin{cases} \sum_{1 \leq k \leq 6} X_6((6, 3, 2, 1, 5, 4; k)) &= (1 + 2 + 3 + 4 + 3 + 4) = 17 = 6 + I(T(6, 3, 2, 1, 5, 4)) \\ \sum_{y=0.5, \dots, 6.5} Y_6((6, 3, 2, 1, 5, 4; y)) &= (4 + 4 + 3 + 4 + 4 + 3 + 1) = 23 = E(T(\cdot)) \end{cases}$$

$$\begin{cases} I(T) &:= \sum_{x: \text{int node of } T} \text{path length}(x) = 11 \\ E(T) &:= \sum_{y: \text{ext node of } T} \text{path length}(y) = 23 = I(T) + 2 \cdot 6 \end{cases}$$

$$\mathbb{E}(X_6) = \frac{1}{6} \left[(1 + \mathbb{E}(Y_0)) + (1 + \mathbb{E}(Y_1)) + \dots + (1 + \mathbb{E}(Y_4)) + (1 + \mathbb{E}(Y_5)) \right]$$



n	1	2	3	
$\mathbb{E}(X_n) = 2\frac{n+1}{n}H_n - 3$	1	$\frac{3}{2}$	$\frac{17}{9}$	\dots
$\mathbb{E}(Y_n) = 2H_{n+1} - 2$	1	$\frac{5}{3}$	$\frac{13}{6}$	\dots

$n = 1$



$$\begin{cases} \mathbb{E}(X_1) &= \frac{1}{1}[1] = 1 \\ \mathbb{E}(Y_1) &= \frac{1}{2}[1+1] = 1 \end{cases}$$

$n = 2$








(1, 2)

(2, 1)

$$\begin{cases} \mathbb{E}(X_2) &= \frac{1}{2 \cdot 2!}[(1+2)+(1+2)] = \frac{3}{2} \\ \mathbb{E}(Y_2) &= \frac{1}{3 \cdot 2!}[(1+2+2)+(2+2+1)] = \frac{5}{3} \end{cases}$$

$n = 3$



(1, 2, 3)

(1, 3, 2)

(2, 1, 3)

(2, 3, 1)

(3, 1, 2)

(3, 2, 1)

$$\begin{cases} \mathbb{E}(X_3) &= \frac{1}{3 \cdot 3!}[(1+2+3)+(1+2+3)+(1+2+2)+(\cdot)+(\cdot)+(\cdot)] = \frac{17}{9} \\ \mathbb{E}(Y_3) &= \frac{1}{4 \cdot 3!}[(1+2+3+3)+(1+3+3+2)+(2+2+2+2)+(\cdot)+(\cdot)+(\cdot)] = \frac{13}{6} \end{cases}$$

Lemma 1. An n -node binary tree T has

- (1) $2n$ edges,
- (2) $n + 1$ external nodes (leaves),
- (3) $E(T) = I(T) + 2n$.

Lemma 2. $\mathbb{E}(X_n) = 1 + \frac{1}{n} \sum_{1 \leq k \leq n} \mathbb{E}(Y_{k-1})$

Theorem 3.

$$\begin{cases} \mathbb{E}(X_n) = 2\frac{n+1}{n}H_n - 3 \approx 2\ln n \\ \mathbb{E}(Y_n) = 2H_{n+1} - 2 \approx 2\ln n \end{cases}$$

Proof:

$$\left\{ \begin{array}{l} \mathbb{E}(X_n) = \sum_{w \in \Omega_{X_n}} P(w) X_n(w) = \sum_{\substack{(x_1, \dots, x_n) \in S_n \\ 1 \leq k \leq n}} \frac{1}{n! n} X_n(x_1, \dots, x_n; k) \\ = \frac{1}{n! n} \sum_{(x_1, \dots, x_n) \in S_n} \sum_{1 \leq k \leq n} X_n(x_1, \dots, x_n; k) \\ = \frac{1}{n! n} \sum_T (n + I(T)) \\ = \frac{1}{n} \left[n + \frac{1}{n!} \sum_T I(T) \right] \end{array} \right. \quad (1)$$

$$\left. \begin{array}{l} \mathbb{E}(Y_n) = \frac{1}{(n+1)!} \sum_{(x_1, \dots, x_n) \in S_n} \sum_{y=0.5, \dots, n.5} Y_n(x_1, \dots, x_n; y) \\ = \frac{1}{(n+1)!} \sum_T E(T) \\ = \frac{1}{(n+1)n!} \sum_T (2n + I(T)) \\ = \frac{1}{n+1} \left[2n + \frac{1}{n!} \sum_T I(T) \right] \end{array} \right. \quad (2)$$

$$(1) + (2) \Rightarrow (n+1)\mathbb{E}(Y_n) = n\mathbb{E}(X_n) + n$$

+ **Lemma 2** \Rightarrow

$$\begin{aligned} (n+1)\mathbb{E}(Y_n) &= \sum_{1 \leq k \leq n} \mathbb{E}(Y_{k-1}) + 2n \\ -) \quad n\mathbb{E}(Y_{n-1}) &= \sum_{1 \leq k \leq n-1} \mathbb{E}(Y_{k-1}) + 2(n-1) \\ \hline (n+1)\mathbb{E}(Y_n) &= (n+1)\mathbb{E}(Y_{n-1}) + 2 \end{aligned}$$

$$\Rightarrow \begin{cases} \mathbb{E}(Y_n) = \mathbb{E}(Y_{n-1}) + \frac{2}{n+1} \\ \mathbb{E}(Y_{n-1}) = \mathbb{E}(Y_{n-2}) + \frac{2}{n} \\ \vdots \\ \mathbb{E}(Y_2) = \mathbb{E}(Y_1) + \frac{2}{3} \\ \mathbb{E}(Y_1) = \frac{2}{2} \end{cases}$$

$$\Rightarrow \begin{cases} \mathbb{E}(Y_n) = 2H_{n+1} - 2 \\ \mathbb{E}(X_n) = \frac{n+1}{n}E(Y_n) - 1 = 2\frac{n+1}{n}H_n - 3 \end{cases} \quad \blacksquare$$

Lemma 2. $\mathbb{E}(X_n) = 1 + \frac{1}{n} \sum_{1 \leq k \leq n} \mathbb{E}(Y_{k-1})$

Proof:

$$\begin{aligned}
\mathbb{E}(X_n) &= \frac{1}{n! n} \sum_{(x_1, \dots, x_n)} \sum_{1 \leq k \leq n} X_n(x_1, \dots, x_n; k) \\
&= \frac{1}{n! n} \sum_{(x_1, \dots, x_n) \in S_n} \sum_{1 \leq k \leq n} (1 + Y_n(x_1, \dots, x_{k-1}; k)) \\
&= 1 + \frac{1}{n! n} \sum_{1 \leq k \leq n} \sum_{(x_1, \dots, x_k) \in S_k} n \cdots (k+1) Y_{k-1}(x_1, \dots, x_{k-1}; x_k) \\
&= 1 + \frac{1}{n} \sum_{1 \leq k \leq n} \left[\frac{1}{k!} \sum_{(x_1, \dots, x_k) \in S_k} Y_{k-1}(x_1, \dots, x_{k-1}; x_k) \right] \\
&= 1 + \frac{1}{n} \sum_{1 \leq k \leq n} \mathbb{E}(Y_{k-1}) \quad \blacksquare
\end{aligned}$$

Remark:

$$\begin{cases} \text{Dynamic model} & : n! \text{ trees;} \\ \text{Static} & " : \frac{1}{n+1} \binom{2n}{n} \text{ trees, } (\text{BST } T(6, 3, 2, 1, 5, 4) \equiv T(6, 3, 5, 4, 2, 1)) \end{cases}$$